A Research Article for the Erzurum Technical University Journal of Mathematics

First Author* Second Author

Abstract

State the problem, method, principal result, and mathematical significance in a concise paragraph. This neutral starter follows the article structure described by the journal's author guidelines.

Keywords: mathematics; theorem; analysis; research article

1 Introduction

Introduce the question, its relation to prior work, and the contribution.

2 Preliminaries

Let X be a normed space and let $\|\cdot\|$ denote its norm.

Lemma 1. *If (x_n) converges to x in X, then (x_n) is a Cauchy sequence.*

Proof. Given $\varepsilon > 0$, choose N so that $\|x_n - x\| < \varepsilon/2$ for $n \geq N$. The triangle inequality gives $\|x_m - x_n\| < \varepsilon$ for $m, n \geq N$. □

3 Main result

State the principal result and define notation before using it:

$$u_t + \mathcal{L}u = f \quad \text{in } \Omega \times (0,T), \qquad u = 0 \quad \text{on } \partial\Omega. \tag{1}$$

Theorem 1. *Under the hypotheses stated above, the construction satisfies*

$$\|u\|_X \leq C\big(\|f\|_Y + \|u_0\|_Z\big), \tag{2}$$

where C is independent of the data.

Proof. Supply the argument here, referring to lemmas and equations as needed. □

4 Examples and discussion

Use this section for examples, numerical results, or counterexamples.

5 Conclusion

Summarize the result, limitations, and next mathematical question.

*Department of Mathematics, University, City, Country. Email: author@example.org

Table 1: Illustrative values for a reported experiment.

Case	n	Error	Rate
Baseline	16	0.125	1.00
Refined	32	0.062	1.01

Declarations

State funding, data availability, conflicts of interest, and author contributions according to the journal's current instructions.

References

[1] A. Researcher, *An example mathematical article*, Example Journal 8 (2026), 1–8.